

* X 8 5 7 7 6 1 2 *



do not, you may lose all the marks for this paper. Before leaving the examination room you must give your answer booklet to the Invigilator; if you

Space for rough work is provided at the end of this booklet.

Record your answers on the answer grid on page 03 of your answer booklet. Reference may be made to the data sheet on page 02 of this question paper and to the relationships sheet X857/76/22.

Instructions for the completion of Paper 1 are given on page 02 of your answer booklet

X857/76/02.

You may use a calculator.

Attempt ALL questions.


Total marks — 25

9:00 AM – 9:45 AM

THURSDAY, 25 APRIL

X857/76/12

Physics
Paper 1 — Multiple choice



National
Qualifications
2024

DATA SHEET

COMMON PHYSICAL QUANTITIES

Quantity	Symbol	Value	Quantity	Symbol	Value
Speed of light in vacuum	c	$3.00 \times 10^8 \text{ m s}^{-1}$	Planck's constant	h	$6.63 \times 10^{-34} \text{ J s}$
Magnitude of the charge on an electron	e	$1.60 \times 10^{-19} \text{ C}$	Mass of electron	m_e	$9.11 \times 10^{-31} \text{ kg}$
Universal Constant of Gravitation	G	$6.67 \times 10^{-11} \text{ m}^3 \text{ kg}^{-1} \text{ s}^{-2}$	Mass of neutron	m_n	$1.675 \times 10^{-27} \text{ kg}$
Gravitational acceleration on Earth	g	9.8 m s^{-2}	Mass of proton	m_p	$1.673 \times 10^{-27} \text{ kg}$
Hubble's constant	H_0	$2.3 \times 10^{-18} \text{ s}^{-1}$	Speed of sound in air	v_{air}	$3.40 \times 10^2 \text{ m s}^{-1}$

REFRACTIVE INDICES

The refractive indices refer to sodium light of wavelength 589 nm and to substances at a temperature of 273 K.

Substance	Refractive index	Substance	Refractive index
Diamond	2.42	Water	1.33
Crown glass	1.50	Air	1.00

SPECTRAL LINES

Element	Wavelength (nm)	Colour	Element	Wavelength (nm)	Colour
Hydrogen	656	Red	Cadmium	644	Red
	486	Blue-green		509	Green
	434	Blue-violet		480	Blue
	410	Violet		Lasers	
	397	Ultraviolet		9550	Infrared
Sodium	589	Yellow	Helium-neon	633	Red
	389	Ultraviolet		10590	Infrared
	397	Ultraviolet		9550	

PROPERTIES OF SELECTED MATERIALS

Substance	Density (kg m^{-3})	Melting point (K)	Boiling point (K)
Aluminium	2.70×10^3	933	2623
Copper	8.96×10^3	1357	2853
Ice	9.20×10^2	273	377
Sea Water	1.02×10^3	264	377
Water	1.00×10^3	273	373
Air	1.29
Hydrogen	9.0×10^{-2}	14	20






The gas densities refer to a temperature of 273 K and a pressure of $1.01 \times 10^5 \text{ Pa}$.

1. A cyclist travelling along a straight track accelerates at 1.2 m s^{-2} . The speed of the cyclist increases from 4.0 m s^{-1} to 7.5 m s^{-1} . The distance travelled by the cyclist during this acceleration is
- A 1.5 m
 - B 17 m
 - C 20 m
 - D 30 m
 - E 34 m.


Total marks — 25
Attempt ALL questions

[Turn over

2. A ball is thrown vertically upwards and returns to its original position. Neglecting air resistance, which displacement-time ($s-t$) graph represents its motion?



3. A box is suspended from a ceiling by a rope. A horizontal force F is acting on the box. The box is held stationary as shown.



The weight of the box is 4.9 N .
The tension T in the rope is


- A 1.7 N
- B 4.6 N
- C 4.9 N
- D 5.2 N
- E 14 N .

[Turn over

5. In a hydroelectric power station water flows from a reservoir through turbines at a rate of 4.5×10^6 kg per minute. The reservoir is 150 m above the turbines. The total power delivered by the water in falling from the reservoir to the turbines is
- A 3.0×10^4 W
 - B 7.5×10^4 W
 - C 1.1×10^8 W
 - D 6.6×10^9 W
 - E 4.0×10^{12} W.

	Horizontal component of the velocity	Vertical component of the velocity
A	graph X	graph Y
B	graph X	graph Z
C	graph Y	graph X
D	graph Y	graph Z
E	graph Z	graph X

Which row in the table shows the graphs that represent the horizontal component of the velocity and the vertical component of the velocity?



4. A ball is thrown horizontally over the edge of a cliff. A group of students draw three velocity-time ($v-t$) graphs to represent the motion of the ball, when air resistance is taken into account.

- A 1100 m
- B 1700 m
- C 2200 m
- D 3400 m
- E 4300 m.


8. The Queensferry Crossing has a length of 2700 m as measured by a stationary observer on Earth. A spaceship travels past Earth at a constant speed of $1.80 \times 10^8 \text{ m s}^{-1}$ relative to Earth. The length of the Queensferry Crossing as measured by an observer on the spaceship is

- A 19.2 s
- B 19.6 s
- C 20.0 s
- D 20.4 s
- E 20.8 s.

7. A spacecraft is travelling at a speed of 0.20c relative to the Earth. The spacecraft emits a signal for 20.0 s as measured in the frame of reference of the spacecraft. An observer on Earth measures the duration of the signal as


- A 0.50 m s^{-1}
- B 1.3 m s^{-1}
- C 2.0 m s^{-1}
- D 2.7 m s^{-1}
- E 8.0 m s^{-1} .

The trolleys collide and stick together. They continue to move along the bench. The velocity of the trolleys immediately after the collision is



6. Two trolleys move along a level bench as shown.

9. The graph shows how the energy emitted per second per unit area varies with the wavelength of the radiation for four stars W, X, Y, and Z.



A student makes the following statements based on the information shown in the graph:

- I Star Z is hotter than star W.
- II The peak frequency of radiation emitted is greatest for star W.
- III Star Y emits more energy per second per unit area than star X.

Which of the statements is/are correct?

- A I only
- B II only
- C III only
- D I and III only
- E I, II and III

10. Which of the following particles is a fermion?


- A W-boson
- B Z-boson
- C Photon
- D Gluon
- E Muon

[Turn over

- A 1.20×10^{-29} J
 B 3.60×10^{-21} J
 C 5.40×10^{-13} J
 D 1.08×10^{-12} J
 E 2.39×10^{-9} J

The energy released in this reaction is

The total mass of the particles after the reaction is 26.560×10^{-27} kg.
 The total mass of the particles before the reaction is 26.572×10^{-27} kg.



13. The following statement represents a nuclear reaction.


- A ${}_{88}^{231}\text{Ra}$
 B ${}_{90}^{235}\text{Th}$
 C ${}_{90}^{239}\text{Th}$
 D ${}_{93}^{239}\text{Np}$
 E ${}_{94}^{239}\text{Pu}$

Nucleus X is

12. Uranium-239 (${}_{92}^{239}\text{U}$) undergoes decay by emitting a beta particle. The nucleus formed as a result of this decay also undergoes decay by emitting a beta particle to form nucleus X.

- A quark
 B neutrino
 C electron
 D proton
 E neutron.

Beta decay provided the first evidence for the existence of the




11. The following statement represents beta decay.

14. A student carries out an experiment to investigate how irradiance of light varies with distance.

A small lamp is placed at a distance d from a light meter. The irradiance I at this distance is displayed on the light meter. This measurement is repeated for a range of different distances.

The student uses these results to plot the graph shown.



The graph indicates that there is a systematic uncertainty in the experiment.

Which of the following alterations would be most likely to reduce the systematic uncertainty in this experiment?

- A Repeating the experiment in a darkened room
- B Repeating the readings at each distance and calculating averages
- C Decreasing the brightness of the lamp
- D Replacing the small lamp with a larger lamp
- E Increasing the range of distances

15. A group of students make the following statements about coherent waves:

- I Coherent waves have a constant phase relationship.
- II Coherent waves have the same frequency.
- III Coherent waves have the same speed.


Which of the statements is/are correct?

- A I only
- B III only
- C I and II only
- D II and III only
- E I, II and III

[Turn over

- A 1.0 V
- B 2.0 V
- C 5.5 V
- D 6.5 V
- E 10 V.

The power supply has negligible internal resistance.
The potential difference across the $60\ \Omega$ resistor is



18. A circuit is set up as shown.

- A $1.40 \times 10^2\ \text{m s}^{-1}$
- B $1.70 \times 10^6\ \text{m s}^{-1}$
- C $1.24 \times 10^8\ \text{m s}^{-1}$
- D $3.00 \times 10^8\ \text{m s}^{-1}$
- E $7.26 \times 10^8\ \text{m s}^{-1}$.

17. A ray of monochromatic light passes from air into diamond.
The frequency of the light in air is 5.09×10^{14} Hz.
The speed of this light in diamond is

- A photons move from higher to lower energy levels emitting electrons
- B photons move from lower to higher energy levels by absorbing electrons
- C electrons move from lower to higher energy levels emitting photons
- D electrons move from higher to lower energy levels emitting photons
- E electrons move from lower to higher energy levels by absorbing photons.


16. Dark lines in an absorption spectrum occur because

- A I only
- B II only
- C III only
- D I and II only
- E I, II and III


Which of these statements is/are correct?

- I The EMF of the battery is 12 V.
- II The internal resistance of the battery is 10 Ω .
- III The short circuit current is 1.2 A.

A student makes the following statements based on this information:



The resistance of the variable resistor is changed and the corresponding readings on the ammeter and voltmeter are used to produce the graph shown.



20. A circuit is set up as shown.

- A 0.11 V
- B 23 V
- C 94 V
- D 550 V
- E 8800 V.


The potential difference across the resistor when operating at its rated power is

19. A resistor of resistance 2.2 k Ω is rated at 0.25 W.

21. A capacitor is initially uncharged. The capacitor is now charged for 20 s using a supply that provides a constant current of 0.10 mA. The potential difference across the capacitor is now 12 V. The energy stored in the capacitor is
- A 0.06 mJ
 - B 12.0 mJ
 - C 14.4 mJ
 - D 24.0 mJ
 - E 28.8 mJ

[Turn over


22. A circuit is set up as shown.



The capacitor is initially uncharged.

Switch S is now closed and the capacitor charges.


The graph shows how the charging current I in the circuit varies with time t .



The capacitor is now replaced with an uncharged capacitor of greater capacitance. The same charging process is repeated with this capacitor.


22. (continued)

Which graph shows how the current I varies with time t as this capacitor charges?



[Turn over

23. Solids can be categorised as conductors, insulators, or semiconductors. The diagrams show the valence band and conduction bands of three solids X, Y, and Z. Which row in the table shows the letters that represent a conductor, an insulator, and a semiconductor?




	Conductor	Insulator	Semiconductor
A	X	Y	Z
B	Z	X	Y
C	Y	Z	X
D	X	Z	Y
E	Z	Y	X

[END OF QUESTION PAPER]

- A P only
- B Q only
- C P and Q only
- D P and R only
- E Q and S only

Which of the LEDs P, Q, R, and S will emit light?



24. An increase in the temperature of a semiconductor
- A increases its conductivity by allowing more electrons to reach the conduction band
 - B increases its conductivity by increasing the band gap between the valence band and the conduction band
 - C decreases its conductivity by allowing more electrons to reach the conduction band
 - D decreases its conductivity by allowing fewer electrons to reach the conduction band
 - E has no effect on its conductivity.
25. A student connects four identical red light emitting diodes (LEDs) to a 2 V rms AC supply as shown.

SPACE FOR ROUGH WORK

SPACE FOR ROUGH WORK

DO NOT WRITE ON THIS PAGE

[BLANK PAGE]